


ACOUSTIC CEILING BAFFLE GRID KITS

12mm interconnected acoustic ceiling baffle grid kit


12mm recycled PET felt panels that interlock into a patterned ceiling kit, hung on wires.



Side view of one kit. Patterns vary. Not to scale.

12mm
panel thickness

48
colours



Square edge only

Kit sizes and wires

Each kit's footprint, depth and number of wire pairs are on its product page and in its assembly instructions, free to download at felted.uk.

Specification

Format	Interlocking recycled PET felt panels, assembled into one kit and hung below the ceiling
Colours	48, one colour per kit. See page 3
Lead time	Made to order, approx. 10 working days
Made in	UK

ACOUSTIC CEILING BAFFLE GRID KITS

Performance, hanging and care

Reaction to fire

B-s1,d0

To **BS EN 13501-1:2018**. Classification reports available on request.

Sound absorption

α_w 0.30 Class D

To **ISO 354**. Material figure for 12mm board, measured direct-fixed against a rigid backing. A kit hanging free with both faces exposed is a different mounting, so this is not a figure for the kit itself.

Hanging

What's supplied IN THE BOX

- The panels for one kit.
- Hanging wires, supplied in pairs.
- Wires are 1 metre long.
- Extra pairs are sold separately.

Putting it up ASSEMBLED

- Assemble the panels into the kit pattern.
- Fix ceiling points above each pair of wires.
- Fix the wires to the kit with the grippers and hang it level.

Planning BEFORE YOU ORDER

- Check the kit's footprint against your ceiling.
- Allow for the kit depth plus the drop you want. Wires are 1 metre long.
- For larger ceilings, use more than one kit.

Substrate first. Hanging depends on the ceiling. Ceiling fixings change with the ceiling type. We confirm your ceiling type and the hanging method with you before your order is made.

Care






















- Dust with a soft brush or a vacuum on low with a brush head.
- Lift marks with a clean damp cloth. Blot, do not rub.
- Do not use solvents, bleach or aggressive cleaning products.
- Keep clear of direct heat sources.

Figures are typical values. Felted may update this sheet as products develop. Issue 2, October 2026.

ACOUSTIC CEILING BAFFLE GRID KITS

Colours

Every kit comes in the 12mm range of 48 colours. Each kit is one colour.

					
White	Natural Cotton	Blanched Almond	Manilla Beige	Wheat	Silk
					
Doe	Light Grey	Silver Grey	Chrome	Spring Grey	Dark Silver
					
Pewter Grey	Ash Grey	Storm	Slate Grey	Paynes Grey	Slate Marble
					
Black	Golden Sunset	Orange	Tawny	Cinnamon	Red
					
Claret	Dark Rouge	Tea Green	Apple Green	Aqua Turquoise	Sage Green
					
Sea Green	Woodland Moss	Olive Green	Dragonfly	Teal	Green
					
Pine Green	Mermaid Blue	Steel Blue	Blue Jay	Cornflower Blue	Oxford Blue
					
Galaxy	Midnight Blue	Deep Ocean	Purple	Purple Grape	Plum

Samples. Screen and print colours are indicative. Order A5 samples at felted.uk to judge colour and texture in your own space and light.